State of Florida Department of Transportation



INVITATION TO BID

TELESCOPING, ARTICULATING, ROTATING, VERTICAL LIFT PLATFORM, TRUCK MOUNTED

ITB-DOT-16/17-9061-JP

CONTACT FOR QUESTIONS:

Joyce Plummer, Procurement Agent joyce.plummer@dot.state.fl.us
Phone: (850) 414-4568
605 Suwannee Street, MS 20
Tallahassee, Florida 32399-0450

EFFECTIVE DATES

April 26, 2017 - April 25, 2019

VENDOR
Truck Equipment Sales, Inc. – CR8588

BID SHEET

BID #: ITB-DOT-16/17-9061-JP

FOB: STATEWIDE

BID TITLE: <u>TELESCOPING</u>, <u>ARTICULATING</u>, <u>ROTATING</u>, <u>VERTICAL LIFT PLATFORM TRUCK</u> MOUNTED

BID AS SPECIFIED OR APPROVED EQUIVALENT

<u>IMPORTANT NOTICE TO PROSPECTIVE OFFERERS:</u>

IF ASKED FOR SPECIFIC INFORMATION, YOU MUST GIVE THE INFORMATION REQUESTED. THE COMPLETED SPECIFICATION/COMPLIANCE SHEET(S), WITH ALL BLANKS FILLED IN AND PROPER RESPONSES SHALL BE RETURNED WITH YOUR BID.

IMPORTANT NOTICE TO PROSPECTIVE OFFERERS

BIDDERS MIST SUNMIT ONE(1) ORIGAINAL AND THREE (3) COPIES OF THE COMPLETED BID PACKAGE (SIGNED INVITATION TO BID, COMPLETED SPECIFICATION/COMPLIANCE SHEET(S), AND THREE (3) COPIES OF MANUFACTURER'S LATEST DATA, THREE (3) COPIES OF ALL SPECIFICATIONS NECESSARY TO VERIFY THAT THE UNIT MEETS OR EXCEEDS ALL REQUIREMENTS STATED HEREIN.

ITEM 1:

Articulating Telescoping Rotating Vertical Lift Platform Truck, IN ACCORDANCE WITH SPECIFICATION FC 1200

PRICE PER UNIT DELIVERED TO ANY FDOT LOCATION IN FLORIDA

THOSE PER CHAIR DELIVER TO MAIN I BOT ECONOMIC TO THE PER CHAIR PROPERTY OF THE PER CHAIR PROPER
UNIT PRICE WITH OPTION 9.1 : \$ 44,596.
Manufacturer and model number of Telescoping Articulating, Rotating Vertical Lift Platform Truck Mounted:
UNIT PRICE WITH OPTION 9.2: \$
Manufacturer and model number of Telescoping, Articulating, Rotating Vertical Lift Platform Truck Mounted: VENSAUPT 53T-39-ENH
Delivery 75-90 days after receipt of carrier.

DELIVERY: Delivery will be made within 90 days after receipt of Purchase Order.

Specification Number: FC1200

Date: January 19, 2017

Unit of Equipment: Telescoping, articulating, rotating, vertical lift platform, Truck Mounted

NOTE:

Specification problems, questions, or comment:

Problems, questions, or comments regarding this specification must be submit to the Procurement Office in writing by emailing procurement agent at email address by the date and time listed in Introduction Section 2 for Technical

Questions.

ORDERING INSTRUCTIONS

Bid Number: ITB-DOT-16/17-9061-JP
Title: Telescoping, Articulating, Rotating, Vertical Lift Platform Truck Mounted
NOTE: ALL ORDERS SHOULD BE DIRECTED TO:
FEDERAL EMPLOYER IDENTIFICATION NUMBER (FEID): 63-0497085
VENDOR: TRUCK EXCEPMENT SALES, INC
ADDRESS: 2625 Highwan 29 So.
CITY, STATE, ZIP: CANTONNEST, FL. 32533
TELEPHONE: 850-438-7596
TOLL FREE NO.: (800) 848-8527 FAX NO.: 850-438-7599
DELIVERY: DELIVERY WILL BE MADE WITHIN 15/90 DAYS AFTER RECEIPT OF PURCHASE ORDER. PRODUCT INFORMATION: DIRECT QUESTIONS TO:
NAME & TITLE: ROBERT FREY PRES.
ADDRESS: 2625 Highwon 29 So.
CITY, STATE, ZIP: CANTONNENT, FL. 32533
TELEPHONE: 850-435-7596
TOLL FREE NO.: (800) 848-8527 FAX NO.: 850-438-9599
INTERNET E-MAIL ADDRESS: BOB @ TRUCKEDCE DIMENTSALES. COM
INTERNET WEBSITE URL: WWW. TRUCKEOUIPMENTSACES, COM
Will you accept the State of Florida Purchasing Card (VISA)?YesNo

ACKNOWLEDGMENT OF ORDER

PURCHASING AGENCY	
CONTACT PERSON	_
ADDRESS	_
CITYSTATEZIP	_
有方式长者的大家的大家的大家的大家的大家的大家的大家的大家的大家的大家的大家的大家的大家的	
Your purchase order numberwas received on	
The order was placed with the manufacturer on We anticipate delivery	_
to your agency on or about	
Please reference your purchase order number or the production number if any inquiry should become Contractors request that purchaser(s) refrain from inquiries about delivery unless the anticipated delivery exceeded.	necessar / has bee
***************************************	k
CONTRACTOR NAME TRUCK EQUIPMENT SALES. INC.	
ADDRESS <u>2628</u> HIGHWOY 29 So.	
CITY_CANTOAMENT, STATE E) 22522	,
SIGNATURE	

Specification Number: FC1200

Date: January 19, 2017

Unit of Equipment: Telescoping, articulating, rotating, vertical lift platform, Truck Mounted

ATTENTION PROSPECTIVE BIDDERS: In order for your bid on this equipment to be considered, all questions in this specification must be answered and all information asked for must be supplied. Incomplete or inappropriate (i.e., responding ves" or "no" when specific information is asked for) responses will result in your bid being rejected.

INTENT: The intent of this specification is to provide minimum procurement requirements for a truck mounted 1.0 articulating telescoping rotating vertical lift platform to perform maintenance activities on overhead signs and lighting systems or satisfy other needs for elevated work place access. The unit will be a completely finished, integrated, turnkey system, mounted and performance tested by the vendor on the carrier supplied by the Florida Department of Transportation (FDOT).

VENSAUFT 55T-37-ENH Make and Model of Lift Unit Rid?

QUALIFICATION OF MANUFACTURE AND MODEL: The unit required and covered by this specification shall be the 1.1 manufacturer's latest basic production model and shall be equipped with all standard equipment in accordance with the manufacturer's latest literature, two (2) copies of which must accompany the bid. No prototypes are allowed. The unit bid must have basically been in production for a minimum of one (1) year.

Comply? (Yes/No)

This contract will not be awarded until the FDOT is satisfied that the equipment proposed will meet the specification in every way. This may require interviews, documented proof, an equipment demonstration and inspection at an FDOT location of our choosing, or any combination of the above. Prospective suppliers will be expected to be fully cooperative with providing any reasonable evidence of specification compliance by the above methods. A maximum of 30 days between bid opening and contract award may be required for this process. After contract award, specification compliance will be reconfirmed by inspection, documentation, and demonstration when the unit is delivered, prior to acceptance. (See Section 6.0)

Understand and acknowledge? (Yes/No)

1.2 **DEFINITIONS:**

"Approved Equivalent" must be approved prior to bid opening. If this has not been accomplished by bid opening 1.2.1 time, your bid will be rejected. The FDOT assumes no responsibility for responding to requests for approval of alternates in time for bid opening, as a technical evaluation frequently must be performed. Therefore, bidders are cautioned that quoting of the components listed may be advisable if lead time is short.

Note: Inadvertent acceptance of previous bids with alternate components shall not be construed as FDOT approval of such alternate components.

Specification Number: FC1200 Date: January 19, 2017
Unit of Equipment: Telescoping, articulating, rotating, vertical lift platform, Truck Mounted

1.2.2 Manufacturer's model numbers: When a manufacturer's model number is stated, it is understood that design changes to the stated model by the manufacturer are not subject to the control of the FDOT and that the intent is to procure an item substantially identical to that version last procured by, demonstrated to, or otherwise brought to the attention of the FDOT. It is explicitly understood that it is the responsibility of the bidder to notify the FDOT of any changes of consequence. Please contact the person named on the bid documents for information regarding the last model for which information is on record with the FDOT bid evaluators.

Understand and Acknowledge? (Yes/No)

1.2.3 "Heavy Duty": This term means that the design and construction of the item is sufficiently rugged and has adequate safety factors to stand up to the sort of use typically expected to be experienced by FDOT drivers/operators without structural or functional failure or other consequences such that the item causes or will probably cause excessive down time. The Mechanical Equipment Engineer or the Equipment Coordinator may accept or reject items bid based on their judgment of compliance with this provision without the necessity for a field trial, or may require testing and verification at his discretion.

Understand and Acknowledge? (Yes/No)

1.2.4 "Per spec": Whenever a specification such as SAE, OSHA, or FED-STD (but not limited to those) is referred to, the latest version as of the date of bid opening is the version to be used. If an update takes place between the time of bid opening and equipment delivery, the successful bidder and the FDOT will mutually agree in writing on which version shall prevail unless there are statutory requirements that the new version be used.

Understand and Acknowledge? (Yes/No)

2.0 CARRIER: Unless option 9.2 for vendor supply of the carrier is exercised, the carrier will be supplied by the Florida Department of Transportation. The successful bidder shall specify to the Department the minimum chassis requirements including HP, GVWR, (GVWR shall be 16,500 lbs., minimum in any event) RBM, CA, PTO provisions, and any other feature necessary for the proper operation of the articulating telescoping rotating vertical lift platform system. This shall be done with the bid package. Bidder shall supply information for conventional cab-chassis. Bidder shall supply information such that the resulting carrier and articulating telescoping rotating vertical lift platform system combination will be capable of 65mph on a level pavement. The combined cost of the carrier and the articulating telescoping rotating vertical lift platform unit will be considered for bid award. The Department will notify the successful bidder when the chassis is available for pick up. Pickup and delivery of the unit shall be at the Purchase Order destination unless specified otherwise. (See Section 6.1)

Bidder must enter minimum chassis requirements for aerial device (HP, GVWR, RBM, CA, and PTO provisions)

AERIAL DEVICE: The aerial device shall consist of a platform attached to an articulating telescoping rotating vilit platform system, which is mounted on the truck frame. The device shall conform to the requirements of specification and the latest version on ANSI/SIA A92.2 - Vehicle-Mounted Elevating and Rotating Aerial Device all other applicable specifications and regulations. Ves	Specific Unit of	cation Number: FC1200 Date: January 19, 2017 Equipment: Telescoping, articulating, rotating, vertical lift platform, Truck Mounted			
3.1 Reach: The platform ground to bottom height shall be thirty five (35) feet, minimum and horizontal reach shall twenty four (24) feet, minimum measured from the center of the truck. 3.1 All Height capability? (ft.) 3.1.2 Manufacture shall certify a capacity of 300 pounds, minimum when the platform is in any position. 3.20 /bs. Maximum capacity centered? (lbs.) 3.1.3 The articulating boom shall be hydraulic in operation. 1.2 Maximum capacity traversed? (lbs.) 3.1.4 Boom construction: The boom shall be constructed of steel rectangular tube sections. 1.1.5 Boom assembly: The outer/inner boom assembly shall include an outer boom, telescopic inner boom, extered boom, and hose assemblies. The inner boom must be capable of being easily removed and disassembled for sand inspection. 3.1.6 Mainframe Assembly: The aerial device shall be mounted directly to the truck chassis.	3.0	lift platform system, which is mounted on the truck frame. The device shall conform to the requirements specification and the latest version on ANSI/SIA A92.2 - Vehicle-Mounted Elevating and Rotating Aerial Device all other applicable specifications and regulations.	of this		
3.1 Reach: The platform ground to bottom height shall be thirty five (35) feet, minimum and horizontal reach shall twenty four (24) feet, minimum measured from the center of the truck. 3.1 All Height capability? (ft.) 3.1.2 Manufacture shall certify a capacity of 300 pounds, minimum when the platform is in any position. 3.20 /bs. Maximum capacity centered? (lbs.) 3.1.3 The articulating boom shall be hydraulic in operation. 1.2 Maximum capacity traversed? (lbs.) 3.1.4 Boom construction: The boom shall be constructed of steel rectangular tube sections. 1.1.5 Boom assembly: The outer/inner boom assembly shall include an outer boom, telescopic inner boom, extered boom, and hose assemblies. The inner boom must be capable of being easily removed and disassembled for sand inspection. 3.1.6 Mainframe Assembly: The aerial device shall be mounted directly to the truck chassis.		<u> </u>			
twenty four (24) feet, minimum measured from the center of the truck. 31/ Height capability? (ft.) 3.1.2 Manufacture shall certify a capacity of 300 pounds, minimum when the platform is in any position. 30/ //s. Maximum capacity centered? (lbs.) 3.1.3 The articulating boom shall be hydraulic in operation. 25/ Comply? (Yes/No) 3.1.4 Boom construction: The boom shall be constructed of steel rectangular tube sections. 25/ Comply? (Yes/No) 3.1.5 Boom assembly: The outer/inner boom assembly shall include an outer boom, telescopic inner boom, extered boom, and hose assemblies. The inner boom must be capable of being easily removed and disassembled for sand inspection. 36/ Comply? (Yes/No) 37/ Phorizontal reach? (ft.) 37/ Phorizontal reach? (ft.) 38/ Maximum capacity fraversed? (lbs.) 38/ Maximum capacity traversed? (lbs.) 39/ Maximum capacity traversed? (lbs.) 31.3 The articulating boom shall be constructed of steel rectangular tube sections. 31.4 Boom assembly: The outer/inner boom assembly shall include an outer boom, telescopic inner boom, extended in the capable of being easily removed and disassembled for sand inspection. 31.5 Mainframe Assembly: The aerial device shall be mounted directly to the truck chassis.		Understand and Acknowledge? (Yes/No)			
3.1.2 Manufacture shall certify a capacity of 300 pounds, minimum when the platform is in any position. 300/bs. Maximum capacity centered? (lbs.) 3.1.3 The articulating boom shall be hydraulic in operation. 1.5 Comply? (Yes/No) 3.1.4 Boom construction: The boom shall be constructed of steel rectangular tube sections. 1.6 Durat boom shall include an outer boom, telescopic inner boom, exter boom, and hose assemblies. The inner boom must be capable of being easily removed and disassembled for sand inspection. 3.1.6 Mainframe Assembly: The aerial device shall be mounted directly to the truck chassis.	twenty four (24) feet, minimum measured from the center of the truck.				
3.1.2 Manufacture shall certify a capacity of 300 pounds, minimum when the platform is in any position. 300/bs. Maximum capacity centered? (lbs.) 3.1.3 The articulating boom shall be hydraulic in operation. 1.5 Comply? (Yes/No) 3.1.4 Boom construction: The boom shall be constructed of steel rectangular tube sections. 1.6 Durat boom shall include an outer boom, telescopic inner boom, exter boom, and hose assemblies. The inner boom must be capable of being easily removed and disassembled for sand inspection. 3.1.6 Mainframe Assembly: The aerial device shall be mounted directly to the truck chassis.		37' 21'9"			
Maximum capacity centered? (lbs.) 3.1.3 The articulating boom shall be hydraulic in operation. Vestor		Height capability? (ft.) Horizontal reach? (ft.)			
3.1.3 The articulating boom shall be hydraulic in operation. Vesting	3.1.2 Manufacture shall certify a capacity of 300 pounds, minimum when the platform is in any position.				
3.1.3 The articulating boom shall be hydraulic in operation. Vesting		300 lbs. 300 lbs.			
3.1.4 Boom construction: The boom shall be constructed of steel rectangular tube sections. Outabout-Steel Invantore—Acuninum Comply? (Yes/No) 3.1.5 Boom assembly: The outer/inner boom assembly shall include an outer boom, telescopic inner boom, exter boom, and hose assemblies. The inner boom must be capable of being easily removed and disassembled for sand inspection. Comply? (Yes/No) 3.1.6 Mainframe Assembly: The aerial device shall be mounted directly to the truck chassis.		Maximum capacity centered? (lbs.) Maximum capacity traversed? (lbs.)			
3.1.4 Boom construction: The boom shall be constructed of steel rectangular tube sections. Outst boom-Steel Inntiboom-Acumulum Comply? (Yes/No) 3.1.5 Boom assembly: The outer/inner boom assembly shall include an outer boom, telescopic inner boom, exter boom, and hose assemblies. The inner boom must be capable of being easily removed and disassembled for sand inspection. Comply? (Yes/No) 3.1.6 Mainframe Assembly: The aerial device shall be mounted directly to the truck chassis.	3.1.3 The articulating boom shall be hydraulic in operation.				
Outer book-Steel Inventored Acumulum 3.1.5 Boom assembly: The outer/inner boom assembly shall include an outer boom, telescopic inner boom, extered boom, and hose assemblies. The inner boom must be capable of being easily removed and disassembled for sand inspection. Vesting Vest		Comply? (Yes/No)			
 3.1.5 Boom assembly: The outer/inner boom assembly shall include an outer boom, telescopic inner boom, exter boom, and hose assemblies. The inner boom must be capable of being easily removed and disassembled for sand inspection. Comply? (Yes/No) 3.1.6 Mainframe Assembly: The aerial device shall be mounted directly to the truck chassis. 	3.1.4	Boom construction: The boom shall be constructed of steel rectangular tube sections.			
boom, and hose assemblies. The inner boom must be capable of being easily removed and disassembled for sand inspection. VES		Comply? (Yes/No)			
./	3.1.5	boom, and hose assemblies. The inner boom must be capable of being easily removed and disassembled for and inspection.			
	3.1.6	./			

Specification Number: FC1200 Date: January 19, 2017
Unit of Equipment: Telescoping, articulating, rotating, vertical lift platform, Truck Mounted

3.1.7 Platform: The platform shall be a one (1), person model with a minimum of 26 x 26-inch inside diameter and a height of thirty nine (39) inch, minimum that conforms to all required safety regulations for intended use.

24**X30**X42**
Platform Size (in)

Date: January 19, 2017
Unit of Equipment: Telescoping, articulating, rotating, vertical lift platform, Truck Mounted

3.1.8 The platform shall be equipped with one (1) safety belt ring attachments. The ring attachment points shall be located to accept the connection of a 72-inch safety lanyard in any boom position without hampering the operator's freedom of movement within the platform, as per ANSI/SIA requirements. A weatherproof cover shall be provided for the platform.

Comply? (Yes/No)

3.1.9 Hydraulic System: Provide system to include pump, reservoir, strainer, ten (10) micron return line filter, maximum and all other components necessary for smooth and safe operation in compliance with all standards and regulations. Pump shall be clutch driven. Components shall be sized to provide sufficient power and capacity to operate hydraulic functions in a heavy-duty service environment.

Comply? (Yes/No)

3.1.10 Controls: Provide full pressure single stick upper control to include safety trigger to prevent inadvertent operation. An emergency stop and a tool selector control shall be located at the upper controls. Individual lower controls located at the turret will actuate all boom functions. The lower control station will be equipped with a selector valve to override the upper controls and emergency stop.

VES Comply? (Yes/No)

3.1.11 Controls shall be clearly labeled as to the function and direction of movement.

3.1.12 Throttle Control: An automatically governed engine speed control, compatible with diesel engine and automatic

3.1.13 Outriggers: One (1) pair of adjustable outriggers, minimum, individually controlled with hydraulic cylinders, shall be

3.1.14 Stability: The complete unit shall be stability tested before delivery and shall be in conformance with ANSI/SIA A92.2-

provided. Each cylinder is to be equipped with a pilot check valve to automatically lock in extended position or retracted

VES - OUTRIGGERS INCLUDED IN PLICE
Comply? (Yes/No)

Date: January 19, 2017

Unit of Equipment: Telescoping, articulating, rotating, vertical lift platform, Truck Mounted

position. If the unit does not require outriggers please specify.

Specification Number: FC1200

transmission, shall be provided.

YOU CANUSE FRONT - REAL TOLS I OW BALS
IN LITTLE OF OUTTUGETERS
Outriggers required? (Yes/No)

	Vehicle-Mounted Elevating and Rotating Aerial Devices.
	<u>les</u>
	Comply? (Yes/No)
	osmpij. (rosmo)
3.1.15	Check Valves: Safety pilot check valves shall be installed on all hydraulic cylinders, with emergency bypass
	provisions at the ground control station.
	Comply? (Yes/No)
	Comply? (Yes/No)
0.4.40	An alternate or auxiliary system will be provided to lower the platform in case of emergency or hydraulic failure. This
3.1.10	system shall consist of a battery powered motor and hydraulic pump capable of lowering and stowing the boom.
	Comply? (Yes/No)
	Comply? (Yes/No)
4.0	TOOLS AND ACCESSORIES:
4.1	Two (2) weatherproof 120 volt, 20 ampere, grounded outlets shall be mounted at the work platform.
4-1	V
	Comply? (Yes/No)
	Comply? (Yes/No)
4.1.2	One (1) cab mounted switch for power supply to clutch pump, one (1) rear mounted diverter valve for outrigger
	control/lift control.
	Comply? (Yes/No)
	Comply? (Yes/No)
4.1.3	Special tools needed to operate, adjust, or repair the articulating boom will be furnished with weatherproof toolbox.
	Comply? (Yes/No)
	Comply? (Yes/No)

Specification Number: FC1200 Date: January 19, 2017
Unit of Equipment: Telescoping, articulating, rotating, vertical lift platform, Truck Mounted

4.2	Service Body: The successful bidder shall install a complete low profile type service body on the truck frame. Service Body shall be full length, (eleven (11)-feet, minimum) for truck delivered with no less than three (3) compartments on each side. The service body must have a three (3) foot tail shelf, minimum for platform rest and boom support with boom hold-down strap.			
	Service body model Length (ft) / compartments? VES Comply? (Yes/No)			
,	Service body model Length (ft) / compartments? Comply? (Yes/No)			
4.2.1	All compartment doors must be flush with slam action locks keyed alike; steel hinges shall extend entire length of doors. Compartments shall be designed to prevent the intrusion of moisture. No inside dimension on any compartment shall be less than twelve (12) inches.			
	20" DEP VES Compartment dimension (in) Compliant? (Yes/No)			
	Compartment dimension (in) Compliant? (Yes/No)			
4.2.2	Directional signals, lighting, and reflectors must meet Federal Motor Vehicle Safety Standard (FMVSS) 49 CFR, part 571.108 Standard No. 108; Lamps, reflective devices, and associated equipment, regulations.			
	Comply? (Yes/No)			
	Comply? (Yes/No)			
4.2.3	Service Body Paint: The service body shall be painted to match the carrier as described in Section 2.0.			
	•			
	Ves/No)			
5.0	PAINTING: All exterior mounted components furnish by the supplier shall be painted to match the carrier as described in Section 2.0 . The complete aerial device shall have a finished suitable for long-term exposure to the Florida environment. Supplier will warrant against rusting, except where scratched through to bare metal, for a period of three (3) years. The paint system shall include the following steps, as a minimum:			
1.	. All surfaces shall be ground smooth with welding slag, burrs and sharp edges removed.			
2	All surfaces shall be sandblasted to white metal and then immediately receive one (1) coat of rust inhibitive primer.			
3	All primed surfaces shall receive two (2) coats of premium grade automotive enamel to match Yellow # 13538 of Federal Standard 595. Cargo area and top of body compartments to be painted with non-skid paint. All primed surfaces shall receive two (2) coats of premium grade automotive enamel to match DOT Yellow (DuPont Centari L9069A, Freightliner 3258, GM 86, International 4421).			
4	All exposed hydraulic cylinder piston rods shall be covered to prevent over spray contact during painting.			
Comply? (Yes/No)				

Specification Number: FC1200

Date: January 19, 2017

Unit of Equipment: Telescoping, articulating, rotating, vertical lift platform, Truck Mounted

- **CONDITIONS**: Terms and conditions set forth in the bid documents will overrule this specification when there is disagreement between the specification and bid documents.
- 6.1 DELIVERY AND ACCEPTANCE:
- 6.1.1 Regardless of the destination specified on the Purchase Order, the first item procured under this specification shall be delivered to the FDOT Midway Maintenance yard, 0.1 mile north of I-10 and Highway 90 west, Tallahassee, Florida. The person(s) named at the end of this specification shall be notified of this delivery 7-10 calendar days in advance. Following delivery, the unit will be thoroughly inspected for compliance with these specifications. Items found to not be in compliance will be corrected by supplier and brought into compliance before final acceptance. The unit will then be taken by the supplier to the Purchase Order destination. All subsequent units will be inspected under the same terms at their Purchase Order destinations.

Ves Comply? (Yes/No)

6.1.2 Failure of FDOT personnel to discover defects during an inspection does not relieve the vendor from responsibility for correcting areas of non-compliance found after delivery on the inspected unit.

Understand and Acknowledge? (Yes/No)

- **6.1.3 PREPARATION FOR DELIVERY:** The unit shall be properly serviced, clean, and in first class operating condition upon delivery. Pre-delivery service shall include, but not limited to, the following:
 - a) Complete lubrication of operating mechanisms with OEM recommended lubricants.
 - b) Check of all fluid levels and adjustments as required.
 - c) Thorough cleaning of device and removal of all unnecessary tags, stickers, etc.
 - d) Perform front end alignment upon completed assembly of unit.

Comply? (Yes/No)

- 6.2 STANDARDS:
- **6.2.1** The unit shall comply with all Motor Vehicle Safety Standards as established by the U. S. Department of Transportation, all safety requirements of the latest issues of ANSI Standards and OSHA Standards, and all other Federal and State of Florida legal requirements and safety standards.

VES Comply? (Yes/No)

- 6.3 DOCUMENTATION:
- **6.3.1** Bidders must submit two (2) copies of current manufacturer's data to substantiate compliance with the specifications, and a list of dealers in or near Florida.

Specification Number: FC1200

Date: January 19, 2017

Unit of Equipment: Telescoping, articulating, rotating, vertical lift platform, Truck Mounted

6.4 MANUALS:

6.4.1 The vendor will provide two (2) manufacturer's operator manuals and two (2) each lubrication/maintenance manuals and two (2) repair/parts manuals to be delivered with each unit.

Ves Comply? (Yes/No)

6.4.2 The vendor shall ensure that all service bulletins, recall notices, and/or other service or maintenance information for the reasonable life of the machines supplied are sent to the FDOT shop to which the machines are assigned.

Comply? (Yes/No)

6.4.3 The vendor will provide a checklist for periodic preventive maintenance suitable for reproduction on 8 ½ inch by 11-inch paper.

Comply? (Yes/No)

6.4.4 The vendor will provide a copy of all warranty (or warranties) information applicable to this unit.

YES
Warranty information compliance? (Yes/No)

7.0 TRAINING:

7.1 PERSONNEL TRAINING:

7.2.1 The services of a factory technician or technicians, thoroughly trained in the use and operation of the unit, shall be furnished for a period of not less than two (2) days, to instruct personnel in the use, operation and maintenance of the unit after delivery. This is to be done at the delivery location on the Purchase Orders.

Yes Comply? (Yes/No)

8.0 WARRANTY:

8.1 The vendor shall warrant all components of its manufacture and design for a minimum of two (2) years following the date of acceptance and will replace to the FDOT any part found to be faulty in manufacture, design or workmanship. The warranty shall include parts and labor for the first year at the delivery location or at the supplier's service location in Florida, at the option of the FDOT. After one (1) year, labor will be included only at the vendor's service location.

Specification Number: FC1200

Date: January 19, 2017

Unit of Equipment: Telescoping, articulating, rotating, vertical lift platform, Truck Mounted

8.2 Components not of the vendor's design and manufacture, with exception of the carrier, are subject to the OEM warranty. In any case all warranties must be for at least one (1) year. Dates of warranties are to be the date of acceptance by FDOT. The successful bidder shall act as FDOT's agent regarding any warranty claim on OEM warranted components.

YES Comply? (Yes/No)

9.0 OPTIONS:

9.1 May or may not be purchased at discretion of the FDOT. Option price may be considered as basis of award. It is recognized that not all bidders offer all options listed; there is no penalty for not bidding an option. It is also recognized that some bidders may offer optional features which are standard equipment with others. The FDOT will make every reasonable effort to evaluate bids based on comparable equipment. List all prices and deliveries cost that apply on price sheet.

Understand and Acknowledge? (Yes/No)

- 9.2 Carriers will be conventional regular cab and chassis model super duty trucks with GVWR 19,000 lbs, minimum. Carriers shall be diesel engine powered super duty trucks equipped with air conditioning, heavy duty tow/haul mode automatic transmissions and must have all features necessary for the proper operation of the articulating telescoping rotating vertical lift platform systems. Bidder shall supply information such that the resulting carriers and articulating telescoping rotating vertical lift platform system combinations will be capable of safe operation at 65mph on level pavement. Only the cost of the articulating telescoping rotating vertical lift platform units will be considered for bid award. Color DOT Yellow (DuPont Centari L9069A, Freightliner 3258, GM 86, International 4421).
- 9.3 Carrier paint: When requested on the Purchase Order the Bidder shall paint the carrier supplied by the Florida Department of Transportation to match the articulating telescoping rotating vertical lift platform system described in Section 3.0.
 - 1. All surfaces shall be sandblasted to white metal and then immediately receive one (1) coat of rust inhibitive primer.
 - 2. All primed surfaces shall receive two (2) coats of premium grade automotive enamel to match Yellow # 13538 of Federal Standard 595. All primed surfaces shall receive two (2) coats of premium grade automotive enamel to match DOT Yellow (DuPont Centari L9069A, Freightliner 3258, GM 86, International 4421).

INTRODUCTION SECTION

1) **INVITATION**

The purpose of this Invitation to Bid is to obtain competitive bids to establish a <u>two (2) year</u> contract for the purchase of <u>Telescoping, Articulating, Rotating, Vertical Lift Platform Truck Mounted</u> by the Department of Transportation, hereafter referred to as the "Department". The contract will become effective on the date the successful bidder(s) is approved for award and will expire <u>two years</u> from that date. After the award, said bidder(s) will be referred to as the "Vendor(s)".

All commodities identified in this Invitation to Bid will be subject to the availability of identical commodities as provided by mandatory Department of Management Services' State Contract(s) at such time these commodities become available. In the event of duplication(s) of commodities, the Department of Management Services' mandatory State Contract shall prevail.

2) <u>TIMELINE</u>

Provided below is a list of critical dates and actions. These dates are subject to change. Notices of changes (Addenda) will be posted on the Florida Vendor Bid System at www.myflorida.com (click on "BUSINESS", click on "Doing Business with the State", under "Everything for Vendors and Customers", click on "Vendor Bid System (VBS)", click on "Search Advertisements") under this bid number. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting your bid.

ACTION / LOCATION	DATE	LOCAL TIME
DEADLINE FOR TECHNICAL QUESTIONS - (There is no deadline for administrative questions)	March 14, 2017	5:00 PM
BIDS DUE (ON OR BEFORE) - Florida Department of Transportation Central Procurement Office Joyce Plummer 605 Suwannee Street, Mail Station 20 Tallahassee, Florida 32399-0450 (850) 414-4568	March 29, 2017	3:00 PM
PUBLIC OPENING - Florida Department of Transportation Central Procurement Office Joyce Plummer 605 Suwannee Street, Mail Station 20 Tallahassee, Florida 32399-0450	March 29, 2017	3:00 PM
POSTING OF INTENDED DECISION/AWARD -	April 11, 2017	5:00 PM

3) BID OPENING AGENDA

The sealed bids will be opened by the Department's Procurement Office personnel at the date, time and location in the Timeline. All bid openings are open to the public and will be conducted according to the following agenda:

<u>Opening remarks</u> – Approximate time of 2 minutes by Department Procurement Office personnel.

<u>Public input period</u> – To allow a maximum of 15 minutes total for public input related to the bid solicitation. <u>Bids opened</u> – At conclusion of public input or 15 minutes, whichever occurs first, bids received timely will be opened with bidder's name and prices to be read aloud.

Adjourn - After all bids received timely have been opened, the meeting will be adjourned.

4) SPECIAL ACCOMMODATIONS

Any person with a qualified disability requiring special accommodations at a pre-bid conference, public meeting, and/or opening shall contact the contact person at the phone number, e-mail address or fax number provided on the title page at least five (5) working days prior to the event. If you are hearing or speech impaired, please contact this office by using the Florida Relay Services which can be reached at 1 (800) 955-8771 (TDD).

5) CONTRACT USE

Use of the contract resulting from this bid will be optional for the Department. The Department reserves the right to solicit separate bids for any unusual or abnormal quantity requirements that may arise during the term of the contract.

6) ESTIMATED PURCHASES

It is anticipated that the Department will purchase approximately \$200,000.00 under any contract resulting from this bid. This <u>estimated amount</u> is given only as a guideline for preparing your bid and should not be construed as representing an actual amount to be purchased under this contract. The Vendor(s) shall supply, at bid prices, the actual amounts ordered regardless of whether the total of such amounts is more or less than anticipated. This bid and the resulting contract will be subject to annual appropriated funding.

7) RENEWAL

Upon mutual agreement, the Department and the Contract Vendor may renew the contract for a period that may not exceed 3 years or the term of the original contract, whichever is longer. The renewal must be in writing and signed by both parties, and is subject to the same terms and conditions set forth in the initial contract and any written amendments signed by the parties. Any renewal shall specify the renewal price, as set forth in the solicitation response except that an agency may negotiate lower pricing. Renewal is contingent upon satisfactory performance evaluations and subject to the availability of funds.

SPECIAL CONDITIONS

1) MyFloridaMarketPlace

BIDDERS MUST BE ACTIVELY REGISTERED IN THE STATE OF FLORIDA'S MYFLORIDAMARKETPLACE SYSTEM BY THE TIME AND DATE OF THE BID OPENING OR THEY MAY BE CONSIDERED NON-RESPONSIVE (see Special Condition 21). All prospective bidders that are not registered should go to https://vendor.myfloridamarketplace.com/ to complete on-line registration, or call 1-866-352-3776 for assisted registration.

All payment(s) to the vendor resulting from this competitive solicitation **WILL** be subject to the MFMP Transaction Fee in accordance with the referenced Form PUR 1000 General Contract Condition #14. However, all vendors should be aware, that effective July 1, 2016 through June 30, 2017, in accordance with House Bill 5003 Sec.73, the Transaction Fee will be seven-tenths of one percent (.70%) of the payment issued. The Transaction Fees imposed shall be based upon the date of issuance of the payment.

2) Florida Department of Financial Services (DFS) W-9 REQUIREMENT

The Florida Department of Financial Services (DFS) requires all vendors that do business with the state to submit an electronic Substitute Form W-9. Vendors must submit their W-9 forms electronically at https://flvendor.myfloridacfo.com to receive payments from the state. Contact the DFS Customer Service Desk at (850) 413-5519 or FLW9@myfloridacfo.com with any questions.

3) QUESTIONS & ANSWERS

In accordance with section 287.057(23), Florida Statutes, respondents to this solicitation or persons acting on their behalf may not contact, between the release of the solicitation and the end of the 72-hour period following the agency posting the notice of intended award, excluding Saturdays, Sundays, and state holidays, any employee or officer of the executive or legislative branch concerning any aspect of this solicitation, except in writing to the procurement officer or as provided in the solicitation documents. Violation of this provision may be grounds for rejecting a response.

Any technical questions arising from this Invitation to Bid must be forwarded, in writing, to the procurement agent identified below. Questions must be received no later than the time and date reflected on the Timeline. The Department's written response to written inquiries submitted timely by bidders will be posted on the Florida Vendor Bid System at www.myflorida.com (click on "BUSINESS", click on "Doing Business with the State", under "Everything for Vendors and Customers", click on "Vendor Bid System (VBS)", click on "Search Advertisements"), under this bid number. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting their bid.

WRITTEN TECHNICAL QUESTIONS should be submitted to: Joyce Plummer at joyce.plummer@dot.state.fl.us

Questions regarding administrative aspects of the bid process should be directed to the Procurement Agent in writing at the address above or by phone: (850) 414-4568

4) ORAL INSTRUCTIONS / CHANGES TO THE INVITATION TO BID (ADDENDA)

No negotiations, decisions, or actions will be initiated or executed by a bidder as a result of any oral discussions with a State employee. Only those communications which are in writing from the Department will be considered as a duly authorized expression on behalf of the Department.

Notices of changes (Addenda) will be posted on the Florida Vendor Bid System at www.myflorida.com (click on "BUSINESS", click on "Doing Business with the State", under "Everything for Vendors and Customers", click on "Vendor Bid System (VBS)", click on "Search Advertisements") under this bid number. It is the responsibility of all potential bidders to monitor this site for any changing information prior to submitting your bid. All Addenda will be acknowledged by signature and subsequent submission of Addenda with bid when so stated in the Addenda.

5) **DIVERSITY ACHIEVEMENT**

The Department, in accordance with *Title VI of the Civil Rights Act of 1964, 42 USC 2000d-2000d-4, Title 49, Code of Federal Regulations, U.S. Department of Transportation, Subtitle A, Office of the Secretary, Part 21,* Nondiscrimination in federally-assisted programs of the Department of Transportation issued pursuant to such Act, hereby notifies all bidders that the Department will affirmatively ensure that in any contract/agreement entered into pursuant to this advertisement, minority and disadvantaged business enterprises will be afforded the full opportunity to submit bids in response to this invitation and will not be discriminated on the basis of race, color, national origin, or sex in consideration for an award.

The Department encourages the recruitment and utilization of small, minority, women, and service-disabled veteran businesses. The Department, its vendors, suppliers, and consultants should take all necessary and reasonable steps to ensure that small, minority, women, and service-disabled veteran businesses have the opportunity to compete for and perform contract work for the Department in a nondiscriminatory environment.

6) PRICES/DELIVERY

Prices shall be firm, net, delivered prices, F.O.B. destination.

<u>Delivery must be made within thirty (30) calendar days or less upon receipt of a purchase order by the contract vendor at their designated ordering location</u>. If more time is needed, the bidder should state the extra time required and the reasons why, in their bid response. Acceptance will be subject to the Department's approval.

7) IN-STATE PREFERENCE FOR COMMODITY BIDS

In accordance with Section 287.084, Florida Statutes, when the lowest responsible and responsive bid is submitted by a vendor whose principal place of business is located outside the state of Florida, a 5% price preference shall be awarded to the lowest responsible and responsive vendor whose principal place of business is located in the state of Florida unless the state where the out-of-state vendor is located provides a price preference for businesses having a principal place of business in that state. In that case, the same price preference shall be awarded to the lowest responsible and responsive vendor whose principal place of business is located in the state of Florida responding to this Invitation to Bid (ITB).

All bidders should complete the attached "In-State Preference Form" and submit with their bid response. A vendor whose principal place of business is located outside the state of Florida, must accompany their bid response documents with a written opinion of an attorney licensed to practice law in that foreign state, as to the preferences granted by that state to its own business entities in the letting of public contracts.

For the 5% preference, the Department will apply 5% to the bid price(s) of the lowest out of state vendor whose state does not grant a preference if that vendor has submitted the lowest responsible and responsive bid. The "In-State Preference" does not apply to transportation projects that use federal funds.

8) <u>INTENDED AWARD</u>

As the best interest of the State may require, the right is reserved to make award(s) by individual item, group of items, all or none, or a combination thereof: on a geographical district basis and / or on a statewide basis with one or more suppliers to reject any and all bids or waive any minor irregularity or technicality in bids received. When it is determined there is competition to the lowest responsible bidder, evaluation of other bids is not required. Bidders are cautioned to make no assumptions, unless their bid has been evaluated as being responsive. All awards made as a result of this bid shall conform to applicable Florida Statute. If the Department is confronted with identical pricing or scoring from multiple vendors, the Department shall determine the order of award in accordance with section 295.187(4), Florida Statutes, and Rule 60A-1.011 Florida Administrative Code.

9) PRE-BID CONFERENCE: A PRE-BID CONFERENCE WILL NOT BE HELD.

10) ALTERNATES

ALTERNATE BRANDS WILL NOT BE CONSIDERED FOR THIS BID. BID AS SPECIFIED.

11) WARRANTY/SUBSTITUTIONS

A warranty is required on all items purchased against defective materials, workmanship, and failure to perform in accordance with required industry performance criteria, for a period of not less than ninety (90) days from the date of acceptance by the purchaser. Any deviation from this criteria must be documented in the bid response or the above statement shall prevail. Delivery of substitute commodities requires prior written approval from the ordering location.

12) REPLACEMENT/RESTOCKING

Replacement of all materials found defective within the warranty period shall be made without cost to the purchaser, including transportation if applicable. All fees associated with restocking cancelled orders shall be the responsibility of the vendor.

13) PRODUCT REQUIREMENTS/SPECIFICATIONS

Items furnished shall be standard products of the manufacturer or their suppliers, shall be new, unused, clean, and free from any defects or features affecting appearance, serviceability, or the safety of the user in normal intended use.

Any deviation from specifications indicated herein must be clearly pointed out; otherwise, it will be considered that items offered are in strict compliance with these specifications, and successful bidder will be held responsible therefore. Deviations must be explained in detail on separate attached sheet(s).

14) ACCEPTANCE

All items listed in the specifications, delivered to the Department not meeting specifications or found to be poorly manufactured will not be accepted, but returned to the vendor, at their expense, for replacement. Replacement of all items found defective shall be made without cost to the Department, including transportation, if applicable. As it may be impossible for each facility to inspect all items upon arrival, a reasonable opportunity must be given to these facilities for inspection of the items, and returning those that are defective.

15) REVIEW OF BIDDER'S FACILITIES & QUALIFICATIONS

After the bid due date and prior to contract execution, the Department reserves the right to perform or to have performed, an on-site review of the bidder's facilities and qualifications. This review will serve to verify data and representations submitted by the bidder and may be used to determine whether the bidder has adequate facilities, equipment, qualified and experienced staff, and overall management capabilities to provide the required items. The review may also serve to verify whether the bidder has financial capabilities adequate to meet the contract requirements.

Should the Department determine that the bid package has material misrepresentations or that the size or nature of the bidder's facilities, equipment, management capabilities, or the number of experienced personnel (including technical staff) are not adequate to ensure satisfactory contract performance, the Department has the right to reject the bid

16) PROTEST OF INVITATION TO BID SPECIFICATIONS

Any person who is adversely affected by the contents of this Invitation to Bid must file the following with the Department of Transportation, Clerk of Agency Proceedings, Office of the General Counsel, 605 Suwannee Street, Mail Station 58, Tallahassee, Florida 32399-0450:

- 1. A written notice of protest within seventy-two (72) hours after the posting of the solicitation, (the notice of protest may be Faxed to 850-414-5264), and
- 2. A formal written protest in compliance with Section 120.57(3), Florida Statutes, within ten (10) days of the date on which the written notice of protest is filed.

Failure to file a protest within the time prescribed in section 120.57(3), Florida Statutes, or failure to post the bond or other security required by law within the time allowed for filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

17) UNAUTHORIZED ALIENS

The employment of unauthorized aliens by any contractor is considered a violation of Section 274A(e) of the Immigration and Nationality Act. If the contractor knowingly employs unauthorized aliens, such violation shall be cause for unilateral cancellation of the contract.

18) SCRUTINIZED COMPANIES LISTS

Responses of \$1 million or more must include a completed <u>Vendor Certification Regarding Scrutinized Companies</u> <u>Lists</u> to certify the respondent is not on either of those lists. The Form should be submitted with the Price Proposal.

Section 287.135, Florida Statutes, requires that at the time a vendor submits a bid or proposal for a contract for goods or services of \$1,000,000 or greater, the vendor must certify that the company is not on Scrutinized Companies with Activities in the Sudan List, the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or the Scrutinized Companies that Boycott Israel List.

For Contracts \$1,000,000 and greater, if the Department determines the Vendor submitted a false certification under Section 287.135(5) of the Florida Statutes, or if the Vendor has been placed on the Scrutinized Companies with Activities in the Sudan List, the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or the Scrutinized Companies that Boycott Israel List, the Department shall either terminate the Contract after it has given the Vendor notice and an opportunity to demonstrate the Department's determination of false certification was in error pursuant to Section 287.135(5)(a) of the Florida Statutes, or maintain the Contract if the conditions of Section 287.135(4) of the Florida Statutes are met.

19) RESERVATIONS

The Department reserves the right to accept or reject any or all bids received and reserves the right to make an award without further discussion of the bids submitted. Therefore, the bidder should make sure that the bid package submitted is complete and accurate and submitted to ensure delivery on or before the bid opening time and date specified in this solicitation. It is understood that the bid will become a part of the Department's official file, without obligation to the Department.

20) ADDITIONAL TERMS & CONDITIONS

No conditions may be applied to any aspect of the ITB by the bidder. Any conditions placed on any aspect of the bid documents by the bidder may result in the bid being rejected as a conditional bid (see "RESPONSIVENESS OF BIDS"). **DO NOT WRITE IN CHANGES ON ANY ITB SHEET.** The only recognized changes to the ITB prior to bid opening will be a written Addenda issued by the Department.

21) RESPONSIVENESS OF BIDS

Bids will not be considered if not received by the Department <u>on or before</u> the date and time specified as the due date for submission. All bids must be typed or printed in ink. A responsive bid is an offer to provide the items specified in this Invitation to Bid in accordance with all requirements of this Invitation to Bid. Bids found to be non-responsive will not be considered. Bids may be rejected if found to be irregular or not in conformance with the specifications and instructions herein contained. A bid may be found to be irregular or non-responsive by reasons that include, but are not limited to, failure to utilize or complete prescribed forms, modifying the bid specifications, submitting conditional bids or incomplete bids, submitting indefinite or ambiguous bids, or executing forms or the bid sheet with improper and/or undated signatures. Other conditions which may cause rejection of bids include, evidence of collusion among bidders, obvious lack of experience or expertise to provide the required items, and failure to perform or meet financial obligations on previous contracts.

22) REQUIRED DOCUMENTS

The bidder must use the attached Bid Sheet to submit its bid. The Bid Sheet must be signed and dated in ink by a representative who is authorized to contractually bind the bidder. All bid sheets and other documentation submitted in response to this solicitation must be executed and submitted in a sealed envelope. <u>Indicate the bid number</u>, with the time and date of the bid opening, on the envelope used to return the bid.

23) "DRUG-FREE WORK PLACE" PREFERENCE

Whenever two or more bids which are equal with respect to price, quality, and service are received, the Department shall determine the order of award in accordance with section 295.187(4), Florida Statutes, and Rule 60A-1.011 Florida Administrative Code, which includes a preference for bid responses that certify the business has implemented a drug-free workplace program in accordance with Section 287.087, F.S. The "Drug-Free Workplace Program Certification" must be completed and submitted with the bid response to be eligible for this preference.

24) COPYRIGHTED MATERIAL

Copyrighted material will be accepted as part of a bid only if accompanied by a waiver that will allow the Department to make paper and electronic copies necessary for the use of Department staff and agents. It is noted that copyrighted material is not exempt from the Public Records Law, Chapter 119, Florida Statutes. Therefore, such material will be subject to viewing by the public, but copies of the material will not be provided to the public.

25) ATTACHMENT TO ITB SUBMITTAL - CONFIDENTIAL MATERIAL

The Bidder must include any materials it asserts to be exempted from public disclosure under Chapter 119, Florida Statutes, in a separate bound document labeled "Attachment to Invitation to Bid, Number ITB-DOT- (16/17-9061-JP) - Confidential Material". The Bidder must identify the specific Statute that authorizes exemption from the Public Records Law. Any claim of confidentiality on materials the Bidder asserts to be exempt from public disclosure and placed elsewhere in the bid will be considered waived by the Bidder upon submission, effective after opening.

26) MAIL OR DELIVER BIDS TO: (DO NOT FAX OR SEND BY E-MAIL)

Florida Department of Transportation Procurement Office Attn: Joyce Plummer 605 Suwannee Street, Mail Station 20 Tallahassee, Florida 32399-0450 Phone # (850) 414-4568

It is the bidder's responsibility to assure that the bid is delivered to the proper place **on or before** the Bid Due date and time (See Introduction Section 2, Timeline). Bids which for any reason are not so delivered will not be considered.

27) MODIFICATIONS, RESUBMITTAL AND WITHDRAWAL

Bidders may modify submitted bids at any time prior to the bid due date. Requests for modification of a submitted bid shall be in writing and must be signed by an authorized signatory of the bidder. Upon receipt and acceptance of such a request, the entire bid will be returned to the bidder and not considered unless resubmitted by the due date and time. Bidders may also send a change in a sealed envelope to be opened at the same time as the bid. The ITB number, opening date and time should appear on the envelope of the modified bid.

28) POSTING OF INTENDED DECISION/AWARD

28.1 - General:

The Department's decision will be posted on the Florida Vendor Bid System at www.myflorida.com, (click on "BUSINESS", click on "Doing Business with the State", under "Everything for Vendors and Customers", click on "Vendor Bid System (VBS)", on date and time in the Timeline, and will remain posted for a period of seventy-two (72) hours. Any bidder who is adversely affected by the Department's recommended award or intended decision must file the following with the Department of Transportation, Clerk of Agency Proceedings, Office of the General Counsel, 605 Suwannee Street, Mail Station 58, Tallahassee, Florida 32399-0450:

- 1. A written notice of protest within seventy-two (72) hours after posting of the Intended Award, (the notice of protest may be Faxed to 850-414-5264), and
- 2. A formal written protest and protest bond in compliance with Section 120.57(3), Florida Statutes, within ten (10) days of the date on which the written notice of protest is filed. At the time of filing the formal written protest, a bond (a cashier's check or money order may be accepted) payable to the Department must also be submitted in an amount equal to one percent (1%) of the estimated contract amount based on the contract price submitted by the protestor.

Failure to file a protest within the time prescribed in Section 120.57(3), Florida Statutes, or failure to post the bond or other security required by law within the time allowed for filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.

28.2 - Inability to Post:

If the Department is unable to post as defined above, the Department will notify all bidders by electronic notification on the Florida Vendor Bid System (see special condition 28.1, above) or by mail, fax, and/or telephone. The Department will provide notification of any future posting in a timely manner.

28.3 - Request to Withdraw Bid:

Requests for withdrawal will be considered if received by the Department, in writing, within seventy-two (72) hours after the bid opening time and date. Requests received in accordance with this provision will be granted by the Department upon proof of the impossibility to perform based upon obvious error on the part of the bidder. Bidders that do not withdraw as stated above will forfeit their bid bond, if applicable.

29) RECYCLED MATERIAL

The Department encourages the use of products and materials with recycled content and post-consumer recovered materials. If the item(s) specified in the Technical Specification is available with recycled content, we request that you provide product information to help in our search for recycled products. However, this bid request is for the product as specified herein and does not require prices for recycled product. This information should be sent as part of your bid response or may be sent separately.

30) PRICE ADJUSTMENTS

Price(s) shall remain firm for the life of the contract. Price adjustments will not be allowed.

31) DELIVERY LOCATION(S)

<u>Delivery must be made within sixty (60) calendar days or less upon receipt of a purchase order by the contract vendor at their designated ordering location</u>. If more time is needed, the bidder should state the extra time required and the reasons why, in their bid response. Acceptance will be subject to the Department's approval.

Refer to Section 6.1 of specification for additional delivery requirements.

Contractor shall complete delivery to FDOT within fourteen (14) calendar days from anticipated date stated in acknowledgement form.

Contractor shall notify FDOT personnel designated on purchase order no less than twenty-four (24) hours prior to delivery. Deliveries will be accepted only between 8:00 A.M. and 3:00 P.M. on FDOT's normal work days. Deliveries not complying with these requirements may be rejected and will have to be redelivered at contractor's expense.

A Manufacture's Statement of Origin and a copy of warranty(ies) shall be provided upon delivery.

32) CANCELLATION

All contract obligations shall prevail for at least one hundred and eighty (180) days after the effective date of the contract. For the protection of both parties, this contract may be cancelled in whole or in part after one hundred and eighty (180) days by either party giving thirty (30) days prior written notice to the other contract party. The contract may, also, be cancelled by the Department for nonperformance (default) in accordance with Rule 60A-1.006(3), F.A.C.

33) ORDERING INSTRUCTIONS

Manufacturers are encouraged to bid direct naming dealers who will accept orders and complete deliveries. Bidders must include complete ordering instructions, including FEDERAL EMPLOYER IDENTIFICATION NUMBER (FEID), for invoicing dealers, with the bid on a separate sheet.

34) ORDER QUANTITIES

The Department will, at its discretion, place orders with the Vendor(s) for various quantities of the items, as needed, during the contract period. Bidders are encouraged to identify the standard packaging quantity and minimum order quantity acceptable for each item or group of items bid. Excessive minimum order quantities will not be accepted.

35) OPEN PURCHASE ORDERS

The Department may, at its discretion, establish an open (estimated quantity) purchase order with the contract vendor(s) to facilitate the purchasing of materials. The purchase of materials may be placed by; (1) written purchase order, (2) telephone orders by authorized Department personnel, or (3) an itemized order in writing. The Department will supply the contract vendor(s) with a list of personnel authorized to order. Delivery of items on these open purchase orders shall not exceed the contract effective period.

36) **INVOICING**

Invoices must match units specified on the Purchase Order.

37) FORMS

The Bidder must complete all required items below and submit them as part of the Bid package. Any Bid in which these forms are not used or in which these forms are improperly executed may be considered non-responsive and the bid may be subject to rejection.

Bid Sheet

Drug-Free Workplace Program Certification (if applicable)

In-State Preference

Vendor Certification Regarding Scrutinized Companies Lists (Form 375-030-60) (proposals of \$1 million or more)

Certification of Recycled Content (if applicable)

Ordering Instructions

Acknowledgement of Order Form

38) TERMS AND CONDITIONS

38.1 General Contract Conditions (PUR 1000)

The State of Florida's General Contract Conditions are outlined in form PUR 1000, which is a downloadable document incorporated into this Invitation to Bid (ITB) by reference. Any terms and conditions set forth in this ITB document will take precedence over the PUR 1000 form where applicable.

http://www.dms.myflorida.com/content/download/2933/11777/1000.pdf

The following paragraphs do not apply to this Invitation to Bid:

Paragraph 31, Dispute Resolution - PUR 1000

Paragraph 40, PRIDE – PUR 1000, when federal funds are utilized.

38.2 General Instructions to Respondents (PUR 1001)

The State of Florida's General Instructions to Respondents are outlined in form PUR 1001, which is a downloadable document incorporated into this Invitation to Bid (ITB) by reference. Any terms and conditions set forth in this ITB document take precedence over the PUR 1001 form where applicable. http://www.dms.myflorida.com/content/download/2934/11780/1001.pdf

The following paragraphs do not apply to this Invitation to Bid:

Paragraph 3, Electronic Submission – PUR 1001

Paragraph 4, Terms and Conditions - PUR 1001

Paragraph 5, Questions - PUR 1001

38.3 MFMP Purchase Order Terms and Conditions

All MFMP Purchase Order contracts resulting from this solicitation will include the terms and conditions of this solicitation and the State of Florida's standardized Purchase Order Terms and Conditions, which can be found at the Department of Management Services website at the following link:

http://www.dms.myflorida.com/content/download/117735/646919/Purchase_Order_Terms_Sept_1, 2015_.pdf Section 8(B), PRIDE, is not applicable when using federal funds.

39) ORDER OF PRECEDENCE

All responses are subject to the terms and conditions of this solicitation, which, in case of conflict, shall have the following order of precedence listed:

Special Conditions
Technical Specifications
Bid Sheet
MFMP Purchase Order Terms and Conditions
General Instructions to Respondents (PUR 1001)
General Contract Conditions (PUR 1000)
Introduction Section

40) Clarifications/Revisions

Before award, the Department reserves the right to seek clarifications, to request proposal revisions, and to request any information deemed necessary for proper evaluation of proposals from all offerors deemed eligible for Contract award. Failure to provide requested information may result in rejection of the proposal.

41) LIQUIDATED DAMAGES

As timely delivery is of importance to the functioning of the agency, the Department reserves the right to cancel such items of the contract which are not delivered within the required time for such items. Failure by the Vendor(s) to deliver items as specified within the stated time may subject the Vendor(s) to liquidated damages in the amount of one percent (1%) of the bid price of the items for each day beyond the stated time.

42) ACKNOWLEDGEMENT

The "Acknowledgement of Order Form" (see attached form), must be mailed to the purchaser within fourteen (14) calendar days from the date the contractor receives the purchase order.

Acknowledgement of receipt of order shall constitute an agreement by the contractor to deliver the equipment listed on the purchase order under the terms and conditions of this contract.

Failure of the contractor to acknowledge receipt of a purchase order shall be considered acceptance by default and the contractor will be held responsible for delivering the equipment requested.				

ACKNOWLEDGMENT OF ORDER

PURCHASING AGENCY			
CONTACT PERSON			
ADDRESS			
		ZIP	
************	********	*********	
Your purchase order number		was received on	
The order was placed with the m	nanufacturer on	We anticipate delivery	
to your agency on or about			
		number if any inquiry should become necess t delivery unless the anticipated delivery has b	
*************************	**************	*************	
CONTRACTOR NAME			
ADDRESS			
CITY	STATE	ZIP	
SIGNATURE		DATE	
*************	*********	*************	

COMMENTS: